Neurological Research

A journal of progress in Neurosurgery and Neurosciences

Volume 7 1985

SUBJECT INDEX

Adenomas, pituitary, the first 100 transsphenoidally operated, in a non-specialised centre: surgical results and tumour-reccurence, 153

Amelioration of ischaemic brain damage by postischaemic treatment with flunarizine, 27

Analgesia and hyperanalgesia, a pharmacological overview of opioid mediating, 105

Anastomosis, end-to-end, for the maintenance of circulation, excision of aneurysms in the vertebrobasilar system followed by, 39

Aneurysm, cerebral, bypass-induced, 46

Aneurysms, excision of, in the vertebrobasilary system followed by end-to-end anastomosis for the maintenance of circulation, 39

Anterior communicating arterym 'twin' familial aneurysms of the, 166

Anticonvulsants, effects of, on K^+-induced excitation and on penicillin-induced seizures, 202

Application of flash visual evoked potentials during operations on the anterior visual pathways, 11

Axon, peripheral, see 177

Basilar-artery aneurysm, transcranial Doppler sonography as a non-invasive guide for the transvascular treatment of an inoperable, 171

Bypass-induced cerebral aneurysms, 46

Catecholamine systems, lesioning of the peripheral and central, the effect on the development of cerebral vasospasms in the rat of, 30

Cerebral aneurysms, bypass-induced, 46

Cerebral blood flow in TIA patients with and without occlusion or stenosis of major vessels, comparison of regional, 149

Cerebral infarction following transient ischaemic attacks, CT observation in the natural history of asymptomatic, 190

Cerebral ischaemia in dogs, decreased blood volume with hypoperfusion during recovery from total, 161

Cerebral ischaemia produced by four-vessel occlusion in the rat, mitochondrial redox response to, 142

Cerebral perfusion and glucose transport, use of 3-fluro-deoxy-glucose for the assessment of, 63 and 68

Cerebral vasospasm in the rat, the effect on the developments of, of lesioning of the peripheral and central catecholamine systems, 30

Changes in the central representation of the extraocular muscles in the rat oculomotor nucleus after section and repair of the third cranial nerve, 199

Comparison of regional cerebral blood flow in TIA patients with and without occlusion or stenosis of major vessels, 149

Cranial nerve, third, changes in the central representation of the extra-ocular muscles in the rat oculomotor nucleus after section and repair of the, 199

CT observations on the natural history of asymptomatic cerebral infarction following transient ischaemic attacks, 190

Cytochrome c oxidase redox relationships in hypoxic rat brain, energy metabolism and in vivo, 81

Decreased blood volume with hypoperfusion during recovery from total cerebral ischaemia in dogs, 161

EEG frequency patterns in the cat prepyriform cortex during sleep and waking, 182

Effect on the development of cerebral vasospasm in the rat of lesioning of the peripheral and central catecholamine systems, 30

Effect of early revascularization on the ischaemic rat brain, 17

Effects of anticonvulsant on K^+-induced excitation and on penicillin-induced seizures, 202

Effects of halothane on somatosensory and flash visual evoked potentials during operations, 58

Embolic stroke of middle cerebral artery occlusion, haemodynamic changes in pre and post ischaemia following simulated, 75

Beta-endorphin levels, plasmatic, and thalamic surgery for pain, 35

Energy metabolism and in vivo cytochrome c oxidase redox relationships in hypoxic rat brain, 81

Evidence for amelioration of ischaemic neuronal damage in the hippocampal formation by lesions of the perforant path, 24

Evoked potentials, visual, the application of flash, during operations on the anterior visual pathways, 11

Excision of aneurysms in the vetebrobasilar system followed by end-to-end anastomosis for the maintenance of circulation, 39

EC-IC bypass surgery, 68

Extra-intracranial bypass surgery for vetebrobasilar insufficiency due to obstructive vetebral artery and vertebral-basilar artery junction disease, 93

Extracranial-intracranial bypass surgery, transcranial Doppler sonography and its application in, 129

Facilitation of transmitter release through available transmitter regulation, 194

Flunarizine, postischaemic treatment with, amelioration of ischaemic brain damage by, 27

3-fluoro-deoxyglucose for the assessment of cerebral perfusion.
I Theory 63.
II Evaluation of patients undergoing EC-IC bypass surgery 68

Glucose transport, use of 3-fluoro-deoxyglucose for the assessment of cerebral perfusion and, 63 and 68

Haemodynamic changes in pre and post ischaemia following simulated embolic stroke of middle cerebral artery occlusion, 75

Halothane on somatosensory and flash visual evoked potentials during operations, effects of, 58

How far can a peripheral axon regenerate?, 177

Hyperanalgesia, a pharmacological overview of opioid mechanisms mediating analgesia and, 105

Hyperglycaemia, some effects of ischaemia and, on neurotransmitter metabolism in rat brain, 120

Hypoxic rat brain, energy metabolism and in vivo cytochrome c oxidase redox relationships in, 81

Insular lobe in primates including humans, 2

Ischaemia and hyperglycaemia on neurotransmitter metabolism in rat brain, some effects of, 120

Ischaemia, cerebral, in dogs, decreased blood volume with hypoperfusion during recovery from total, 161

Ischaemia, cerebral, produced by four-vessel occlusion in the rat, mitochondrial redox response to, 142

Ischaemic brain damage, amelioration of, by postischaemic treatment with flunarizine, 27

Ischaemic neuronal damage, evidence for amelioration of, in the hippocampal formation by lesions of the perforant path, 24

Ischaemic rat brain, effect of early revascularization on the, 17

Microelectrode for measuring local cortical oxygen tension and blood flow in the same microareas of cat cortex, 89
Middle cerebral artery occlusion, haemodynamic changes in pre and post ischaemia following simulated embolic stroke, 75
Mitochondrial redox response to cerebral ischaemia produced by four-vessel occlusion in the rat, 142
Neurotransmitter metabolism in rat brain, some effects of ischaemia and hyperglycaemia on, 120
Occlusion or stenosis of major vessels, comparison of regional cerebral blood flow in TIA patients with and without, 149
Oculomotor nucleus, rat, changes in the central representation of the extraocular muscles in the, after section and repair of the third cranial nerve, 199
Opioid mechanisms mediating analgesia and hyperanalgesia, a pharmacological overview of, 105
Oxygen tension, local cortical, and blood flow in the same microareas of cat cortex, microelectrode for measuring, 89
Perforant path, lesions of the, evidence for amelioration of ischaemic neuronal damage in the hippocampal formation by, 24
Pharmacological overview of opioid mechanisms mediating analgesia and hyperanalgesia, 105
Pituitary adenomas, the first 100 transsphenoidally operated, in a non-specialised centre: surgical results and tumour-recurrence, 153
Plasmatic beta-endorphin levels and thalamic surgery for pain, 35
Prepyriform cortex, cat, EEG frequency patterns in the, during sleep and walking, 182
Regeneration of a peripheral axon, 177
Revascularization, effect of early, on the ischaemic rat brain, 17
Seizures, penicillin-induced, effects of anticonvulsants on K^+-induced excitation and on, 202
Some effects of ischaemia and hyperglycaemia on neurotransmitter metabolism in rat brain, 120
Sonography, transcranial Doppler, and its application in extracranial-intracranial bypass surgery, 129
Sonography, transcranial Doppler, as a non-invasive guide for the transvascular treatment of an inoperable basilar-artery aneurysm, 171
Stenosis of major vessels, comparison of regional cerebral blood flow in TIA patients with and without occlusion or, 149
Thalamic surgery, plasmatic beta-endorphin levels and, for pain, 35
The first 100 transsphenoidally operated pituitary adenomas in a non-specialised centre: surgical results and tumour-recurrence, 153
TIA in patients, comparison of regional cerebral blood flow in, with and without occlusion or stenosis of major vessels, 149
Transcranial Doppler Sonography and its application in extracranial-intracranial bypass surgery, 129
Transcranial Doppler sonography as a non-invasive guide for the transvascular treatment of an inoperable basilar-artery aneurysm, 171
Transient ischaemic attacks, CT observations on the natural history of asymptomatic cerebral infarction following, 190
Transmitter release, facilitation of, through available transmitter regulation, 194
Transsphenoidally operated pituitary adenomas in a non-specialised centre, the first 100, Surgical results and tumour-recurrence, 153
'Twin' familial aneurysms of the anterior communicating artery, 166
Vertebrobasilar insufficiency due to obstructive vertebral artery and vertebral-basilar artery junction disease, extra-intracranial bypass surgery for, 93
Vertebrobasilar system, excision of aneurysms in the, followed by end-to-end anatomosis for the maintenance of circulation, 39
Visual evoked potentials, the application of flash, during operations on the anterior visual pathways, 11

AUTHOR INDEX

Adey, W.R. see Willey, T.J., 182
Altuzarra, A. see Lopez, J.A., 35
Andreoli, A. see Tognetti, F., 166
Arjona, V. see Lopez, J.A., 35
Auer, L.M. and Clarici, G. The first 100 transsphenoidally operated pituitary adenomas in a non-specialised centre: surgical results and tumour-recurrence, 153
Augustine, J.R. Insular lobe in primates including humans, 2
Austin, G. see Yonekura, M., 89, 149
Bannister, C.M. and Chapman, S.A. Effect of early revascularization on the ischaemic rat brain, 17
Bannister, C.M. see Turnbull, I.W., 190
Blomqvist, P. see Wieloch, T., 24
Brismar, J. see Svendgaard, N.Aa., 30
Brock, M. see Shibib, K., 177
Bruchner, H. see Ringelstein, E.B., 171
Bruckmann, H. see Ringelstein, E.B., 171
Chapman, S.A. see Bannister, C.M., 17
Clarici, G. see Auer, L.M., 153
Costa E. Silva, I., Dah-Jium Wang, A. and Symon, L. Application of flash visual evoked potentials during operations on the anterior visual pathways, 11
Costa E. Silva, I. see Wang, A.D.-J., 58
Crumrine, R.C. see LaManna, J.C., 161
Dah-Jium Wang, A. see Costa E. Silva, I, 11
Delgado, T.J. see Svengaard, N.Aa., 30
Deshpande, J.K. and Wieloch, T. Amelioration of ischaemic brain damage by postischaemic treatment with flunarizine, 27
Diemer, N.H. see Svengaard, N.Aa., 30
Erecinska, M. see Pastuszko, A., 120
Fein, J.M. Bypass-induced cerebral aneurysm, 46
Fernandez, E., Pallini, R. and Sbriccoli, A. Changes in the central representation of the extraocular muscles in the rat oculomotor nucleus after section and repair of the third cranial nerve, 199
Gage, F.H. see Wieloch, T., 24
Garrido, F. see Lopez, J.A., 35
Gillman, M.A. and Lichtigfeld, F.J. A pharmacological overview of opioid mechanisms mediating analgesia and hyperanalgesia, 105
Gilsbach, J. see Harders, A., 129
Gosztonyi, G. see Shibib, K., 177
Hacke, W. see Ringelstein, E.B., 171
Harders, A. and Gilsbach, J. Transcranial Doppler sonography and its application in extracranial-intracranial bypass surgery, 129
Harrison, M., Sick, T.J. and Rosenthal, M. Mitochondrial redox responses to cerebral ischaemia produced by four-vessel occlusion in the rat, 142
Javid, M.J. see Stone, W.E., 202
Jewkes, D. see Wang, A.D.-J., 58
Jöbsis-VanderVliet, F.F. see Sylvia, A.L., 81
Kaminogo, M. Haemodynamic changes in pre and post ischaemia following simulated embolic stroke of middle cerebral artery occlusion, 75
Knust, E.J. see Mehdorn, H.M., 68
see Vyska, K., 63
LaManna, J.C., Romeo, S.A., Crumrine, R.C. and McCraken, K.A. Decreased blood volume with hypoperfusion during recovery from total cerebral ischaemia in dogs, 161
Lichtigfeld, F.J. see Gillman, M.A., 105
Lindvall, O. see Wieloch, T., 24
Lopez, J.A., Peran, F., Altuzarra, A., Garrido, F. and Arjona, V. Plasmatic beta-endorphin levels and thalamic surgery for pain, 35
Machulla, H.-J. see Mehdorn, H.M., 68
see Vyska, K., 63
Marguth, F. see Olteanu-Nerbe, V., 93
McCraken, K.A. see LaManna, J.C., 161
Mehdorn, H.M. Vyska, K., Machulla, H.-J. and Knust, E.J. Use of 3-fluoro-deoxyglucose for the assessment of cerebral perfusion and glucose transport II. Evaluation of patients undergoing EC-IC bypass surgery, 68
Mehdorn, H.M. see Vyska, K., 63
Maeda, G. see Willey, T.J., 182
Muller, H. see Shibib, K., 177
Olteanu-Nerbe, V., Schmiedek, P. and Marguth, F. Extra-intracranial bypass surgery for vertebrobasilar insufficiency due to obstructive vertebral artery and vertebral-basilar artery junction disease, 93
Pallini, R. see Fernandez, E., 199
Pastuszko, A. Erecinska, M., Wilson, D.F. and Silver, I.A. Some effects of ischaemia and hyperglycaemia on neurotransmitter metabolism in rat brain, 120
Peran, F. see Lopez, J.A., 35
Piantadosi, C.A. see Sylvia, A.L., 81
Ringelstein, E.B., Wulfinghoff, F., Bruckmann, H., Zeumer, H., Hacke, W. and Bruchner, H. Transcrannial Doppler sonography as a non-invasive guide for the transvascular treatment of an inoperable basilar-artery aneurysm, 171
Romeo, S.A. see LaManna, J.C., 161
Rosenthal, M. see Harrison, M., 142
Samii, A. and Turel, K. Possibility of the excision of aneurysms in the vertebrobasilar system followed by end-to-end anastomosis for the maintenance of circulation, 39
Sarrazin, C. Facilitation of transmitter release through available transmitter regulation, 194
Sbriccoli, A. see Fernandez, E., 199
Schmiedek, P. see Olteanu-Nerbe, V., 93
Shibib, K., Brock, M., Muller, H. and Gosztonyi, G. How far can a peripheral axon regenerate?, 177
Sick, T.J. see Harrison, M., 142
Silver, I.A. see Pastuszko, A., 120
Stone, W.E. and Javid, M.J. Effects of anticonvulsants on K^+-induced seizures, 202
Svendgaard, N. Aa., Brismar, J., Delgardo, T.J. and Diemer, N.H. The effect on the development of cerebral vasospasm in the rat lesioning of the peripheral and central catecholamine systems, 30
Sylvia, A.L. Piantadosi, C.A. and Jobsis-VanderVliet, F.F. Energy metabolism and in vivo cytochrome c oxidase redox relationships in hypoxic rat brain, 81
Symon, L. see Costa E. Silva, I., 11
see Wang, A.D.-J., 58
Testa, C. see Tognetti, F., 166
Tognetti, F., Andreoli, A. and Testa, C. 'Twin' familial aneurysms of the anterior communicating artery, 166
Tosk, J. see Willey, T.J., 182
Turel, K. see Samii, A., 39
Turnbull, I.W. and Bannister, C.M. CT observations on the natural history of asymptomatic cerebral infarction following transient ischaemic attacks, 190
Vyska, K., Mehdron, H.M., Machulla, H.-J. and Knust, E.J. Use of 3-fluoro-deoxyglucose for the assessment of cerebral perfusion and glucose transport I. Theory, 63
Vyska, K. see Mehdorn, H.M., 69
Wang, A.D.-J., Costa E. Silva, I., Symon, L. and Jewkes, D. The effects of halothane on somatosensory and flash visual evoked potentials during operations, 58
Wieloch, T., Lindvall, O., Blomqvist, P. and Gage, F.H. Evidence for amelioration of ischaemic neuronal damage in the hippocampal formation by lesions of the perforant path, 24
Wieloch, T. see Deshpande, J.K., 27
Will, A.D. see Willey, T.J., 182
Willey, T.J., Adey, W.R., Maeda, G., Will, A.D. and Tosk, J. EEG frequency patterns in the cat prepyriform cortex during sleep and waking, 182
Wilson, D.F. see Pastuszko, A., 120
Wulfinghoff, F. see Ringelstein, E.B., 171
Yonekura, M. and Austin, G. Comparison of regional cerebral blood flow in TIA patients with and without occlusion or stenosis of major vessels, 149
Yonekura, M. and Austin, G. Micro-electrode for measuring local cortical oxygen tension and blood flow in the same microareas of cat cortex, 98
Zeumer, H. see Ringelstein, E.B., 171